

## APPENDIX 1 - LIST OF FIGURES

- Figure 1:** Figure 1 shows the X-ray diffraction pattern for the TiSil brand calcium silicate hydrate.
- Figure 2:** Figure 2 shows the S.E.M. photograph at 10,000 times magnification for the TiSil Brand calcium silicate hydrate.
- Figure 3:** Figure 3 shows the S.E.M. photograph at 2000 times magnification for the TiSil Brand calcium silicate hydrate.
- Figure 4:** Figure 4 shows the X-ray diffraction pattern for the StiSil brand calcium silicate hydrate.
- Figure 5:** Figure 5 shows the S.E.M. photograph at 10,000 times magnification for StiSil Brand calcium silicate hydrate.
- Figure 6:** Figure 6 shows the S.E.M photograph at 2000 times magnification for StiSil Brand calcium silicate hydrate.
- Figure 7:** Figure 7 shows a graphical representation of the solubility of lime in water.
- Figure 8:** Figure 8 shows a graphical representation of the solubility of silica in water.

**Figure 9:** Figure 9 shows a graphical representation of a standard heating/cooling cycle for the reaction process.

**Figure 10:** Figure 10 shows a graphical representation of the brightness results from handsheets containing the TiSil brand calcium silicate hydrate and a commercial PCC.

**Figure 11:** Figure 11 shows a graphical representation of the opacity results from handsheets containing the TiSil brand calcium silicate hydrate and a commercial PCC.

**Figure 12:** Figure 12 shows a graphical representation of the sheet scattering coefficient results from handsheets containing the TiSil brand calcium silicate hydrate and a commercial PCC.

**Figure 13:** Figure 13 shows a graphical representation of the filler scattering coefficient results from handsheets containing the TiSil brand calcium silicate hydrate and a commercial PCC.

**Figure 14:** Figure 14 shows a graphical representation of the sheet stiffness results from handsheets containing the TiSil brand calcium silicate hydrate and a commercial PCC.



silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 21:** Figure 21 shows a graphical representation of the filler scattering coefficient results from handsheets containing the TiSil brand calcium silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 22:** Figure 22 shows a graphical representation of the sheet stiffness results from handsheets containing the TiSil brand calcium silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 23:** Figure 23 shows a graphical representation of the sheet bulk results from handsheets containing the TiSil brand calcium silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 24:** Figure 24 shows a graphical representation of the porosity results from handsheets containing the TiSil brand calcium silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 25:** Figure 25 shows a graphical representation of the tensile index results from handsheets containing the TiSil brand calcium silicate hydrate and a PCC with 60lb/ton  $\text{TiO}_2$  mixture.

**Figure 26:** Figure 26 shows a graphical representation of the opacity results from handsheets containing the TiSil brand calcium silicate hydrate and Bulkite.

**Figure 27:** Figure 27 shows a graphical representation of the sheet scattering coefficient results from handsheets containing the TiSil brand calcium silicate hydrate and Bulkite.

**Figure 28:** Figure 28 shows a graphical representation of the filler scattering coefficient results from handsheets containing the TiSil brand calcium silicate hydrate and Bulkite.

**Figure 29:** Figure 29 shows a graphical representation of the brightness results from handsheets containing the TiSil brand calcium silicate hydrate and Bulkite.

**Figure 30:** Figure 30 shows a graphical representation of the porosity results from handsheets containing the TiSil brand calcium silicate hydrate and Bulkite.

**Figure 31:** Figure 31 shows a graphical representation of the opacity results from newsprint handsheets containing 6% (interpolated) of the TiSil brand

calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 32:** Figure 32 shows a graphical representation of the ink penetration results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 33:** Figure 33 shows a graphical representation of the show through results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 34:** Figure 34 shows a graphical representation of the print through results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 35:** Figure 35 shows a graphical representation of the sheet porosity results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 36:** Figure 36 shows a graphical representation of the tensile index results from newsprint

handsheets containing 6% (interpolated) of the calcium silicate hydrate TiSil, HuberSil, and Huber Carbonate.

**Figure 37:** Figure 37 shows a graphical representation of the sheet stiffness results from newsprint handsheets containing 6% (interpolated) of the calcium silicate hydrate TiSil, HuberSil, and Huber Carbonate.

**Figure 38:** Figure 38 shows a graphical representation of the static coefficient of friction results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

**Figure 39:** Figure 39 shows a graphical representation of the sheet smoothness results from newsprint handsheets containing 6% (interpolated) of the TiSil brand calcium silicate hydrate, HuberSil, and Huber Carbonate.

2025 RELEASE UNDER E.O. 14176